

## Biological Lignin Valorization

Technology Session Review Area: Biochemical Conversion & Lignin Utilization


PI: Gregg T. Beckham, NREL

Presenter: Davinia Salvachúa, NREL

## Project overview

**Goal**: Develop bioprocesses to funnel heterogeneous lignin-derived streams to single value-added coproducts


- Focus on commodity products with sufficient market sizes to aid biofuels production (e.g., adipic acid)
- Work with Lignin Util. & SepCon for lignin substrates
- Develop innovative biocatalysts and bioprocesses for lignin valorization



#### **Heilmeier Catechism:**

- Goal: enabling biology and bioprocess engineering to bioconvert lignin intermediates to co-products
- Today: lignin bioconversion is a relatively new approach (~2014)
- **Important**: contribute \$2-3/gge to MFSP for biofuels production through biological lignin valorization
- Risks: lignin not bioavailable, bioprocess performance insufficient for real-world implementation

## Management



#### Task 1: Strain Development

- Led by *P. putida* metabolic engineering expert (C. Johnson)
- Milestones for overcoming bottlenecks, expanding substrate specificity, and improving TRY

#### Task 2: Bioprocess Development

- Led by P. putida bioprocess expert (D. Salvachúa)
- Milestones for TRY and toxicity tolerance improvement
- Work with ORNL project (A. Guss) to evaluate strains

#### **Project organization:**

- Meetings: monthly for project, monthly with PI-task leads & PI-task leads-postdocs
- Ad hoc meetings with other BETO projects (next slide)
- Ops & Project Managers lab space, equipment, reporting, finances


#### Risks:

- Substrate and product toxicity limiting TRY evaluating multiple lignin streams, other strains
- Bio-availability of aromatics from lignin key link to Lignin Utilization


## Management: Project interactions

## Oxidative chemistry for lignin depolymerization is desirable to generate bio-available, water-soluble lignin streams

 BLV can convert lignin streams by expanding the biological funnel and designing bioprocess to convert toxic streams into single products



## Current process configuration and projects interchange



## Approach

#### **Overall approach:**

- Model compounds for evaluations, lignin from LigU, LTAD, and SepCon
- Pseudomonas putida KT2440 as robust chassis
- Atom-efficient targets as performance-advantaged bioproducts
- Collaborate for advanced tools (ALE/DTU, omics/ORNL)
- Work with Biochem. Analysis project to identify process drivers


#### **Challenges:**


- Lignin streams with bio-available aromatics (LigU, SepCon)
- Translation from model to real substrates

#### **Major milestones, Go/No-Go Decisions:**


- FY21: 60 g/L muconate from aromatic monomers (benchmark: ~49 g/L)
- FY22 G/NG: 10 g/L product from lignin (benchmark: 4 g/L muconate in FY20)
- FY23: 40 g/L product from lignin

#### MFSP (\$/GGE), Base Case = \$2.49





#### Lignin contribution to MFSP as a function of muconate productivity



## **Impact**

#### Scientific:


- BETO has enabled lignin bioconversion as a new addition to metabolic engineering
- High-impact publications and patents from BLV consistently at forefront of the field
- Titer, rate, and yield achievements and fundamental discoveries at forefront of the field

#### Industrial:

- Could enable \$2-3/gge contribution to biorefineries through performance-advantaged bioproducts from lignin
- Work with startups to apply aromatic bioconversion for industrial applications
- Interactions inform project deliverables








Linger PNAS 2014; Vardon Energy Env. Sci. 2015; Johnson Met. Eng. 2015; Salvachúa Green Chem. 2015; Beckham Curr. Opin. Biotech. 2016; Johnson Met. Eng. Comm 2016, 2017; Salvachúa Green Chem 2018; Johnson Joule 2019; Salvachúa Microb. Biotech. 2019; Salvachúa PNAS 2020; Morya Trends Biotech. 2020; Werner Met. Eng. Comm. 2020; Notonier in revision at Met. Eng. 2021; Erickson in review at Nature Catal. 2021

#### **Overall:**


BLV at the cutting-edge of a new, promising direction in bioeconomy R&D to valorize lignin

## Outline of Progress and Outcomes



#### **Muconic acid production**

- Muconic acid analytics
- Muconic acid production from p-coumarate and ferulate
- Overcoming the hydroxylation bottleneck
- Overcoming the decarboxylation bottleneck
- Overcoming substrate toxicity
- Overcoming product toxicity



#### **Beyond muconic acid**

- Engineering β-ketoadipic acid production
- Engineering convergent metabolism from S, G, and H lignin to
  2-pyrone-4,6-dicarboxylic acid (PDC)
- Evaluation of lignin streams and fundamental discoveries

## Improved analytical method for muconic acid quantification

- Muconic acid method developed and published as a Laboratory Analytical Procedure (LAP) for accurate quantitation of c,c-muconic & c,t-muconic acids
- As substrates become more complex, analytical methods were adjusted to obtain better chromatographic resolution and rapid sample throughput



Methods continually being tailored for more accurate and faster data acquisition (analytical developments conducted in the LigU project)




Determination of *cis,cis*- and *cis,trans*-Muconic Acid from Biological Conversion


**Laboratory Analytical Procedure (LAP)** 


Issue Date: September 4, 2019

Brenna A. Black, William E. Michener, Courtney E. Payne, and Gregg T. Beckham




## Muconic acid production – baseline strain performance







Metabolic engineering and bioprocess development enhanced productivity by 66% while maintaining high titers (40 g/L) and yields (>95%)


## Overcoming the hydroxylation bottleneck







Increasing feeding rates to enhance productivity




#### Replacing PobA with Pral eliminated the 4HBA bottleneck, improving muconate titers, rates, and yields


- The native pHBA hydroxylase, PobA, represents a bottleneck, resulting in accumulation of pHBA during the conversion of pCA
- **PobA** requires NADPH as a cofactor while the pHBA hydroxylase from *Paenibacillus* sp. JJ-1b, **Pral**, can use NADPH *or* NADH
- Increased pCA feeding rates revealed the PCA decarboxylase and pCA transport as the next bottlenecks


## Overcoming the protocatechuate decarboxylase bottleneck

## Strains evolved that are presumed to have improved PCA decarboxylase activity

- *p*-coumarate was routed through AroY for growth
- ALE performed and improved strains isolated
- Evaluation of these mutations are ongoing
- Whole genome sequencing ongoing









## Overcoming substrate toxicity


## Automated tolerance adaptive laboratory evolution (TALE)



2.5- to 4-fold increase in tolerated aromatic concentrations




## Reverse engineering for reduced lag phase



#### Achieved increased toxicity tolerance to *p*-coumarate and ferulate via TALE

- Identified genetic targets (e.g.,  $PP_3350$ ) to decrease lag phase in high concentrations of p-coumarate and ferulate
- Discovered PP\_3350 PP\_3349 are involved in the uptake of *p*-coumarate and ferulate
- Ongoing work focused on transporter engineering for improving productivity

## Overcoming product (muconate) toxicity




#### Identified isolates with reduced lags and improved growth rates at high muconate concentration


- Comparison of HTP screening with acetate or glucose revealed evolution for higher acetate utilization rates also occurred
- Best performing ALE isolates being evaluated in bioreactors now

## Engineering $\beta$ -ketoadipic acid ( $\beta$ KA) production


## β-ketoadipic acid shows performance-advantaged properties over adipic acid in the polyamide nylon-6,6



#### Bioprocess development for βKA production




#### Metabolic engineering decreases VA accumulation



## **βKA** titers and productivities higher than those achieved for muconate with *P. putida* CJ263

• Based on the improvements in muconate-producing strains, we anticipate that modifications applied to CJ263 will enable  $\beta$ KA productivities over 1 g/L/h


## Engineering convergent metabolism from S, G, H lignin




#### Achieved simultaneous conversion of *p*CA, FA, and SA to PDC

- Resulted in fundamental biochemical advances
- TRY similar to those obtained for muconate with our best performing strain

#### PDC production from S, G, and H substrates



#### **Bioprocess development for PDC production**




## Evaluation of diverse lignin streams


#### **Collaboration with Low Temperature Advanced Deconstruction (LTAD)**




Black liquor recycling (deacetylation of corn stover with NaOH) increases concentration of aromatic compounds. P. putida produces 4 g/L of muconate from this stream



#### **Collaboration with Lignin** Utilization



#### Collaboration with **Separations Consortium**



- Generation of low MW lignin and acetate stream from black liquor (generated in deacetylation of corn stover)
- Monomeric aromatic compounds and acetate highly concentrated
- Strategy key to achieve high product titers and rates


#### Systems bio, metabolic eng., and bioprocess development being pursued to convert lignin streams

- Elucidating additional relevant catabolic pathways
- Currently optimizing fed-batch processes to feed low MW lignin plus acetate to P. putida

## Additional work with lignin streams and P. putida


#### P. putida releases outer membrane vesicles

# SEM



## Are OMVs involved in the extracellular catabolism of liquin?

- P. putida releases OMVs in lignin
- Via proteomics, identified oxidoreductases and aromatic catabolic enzymes in OMVs
- OMVs were shown to catabolize aromatic compounds




Salvachúa, Werner, Pardo **PNAS** 2020

## *mcl*-PHA production from lignin depolymerized via base catalyzed depolymerization



#### Collaboration with Dr. Adam Guss (ORNL)

- P. putida engineered to enhanced PHA production from aromatic compounds.
- P. putida AG2162 significantly enhances PHA production from lignin streams



#### OMVs could potentially be useful tools for synthetic biology and biotechnological applications

Ongoing bioprocess development with ORNL lignin project (A. Guss)

## **Summary**

#### **Overview**

 BLV is developing strains and bioprocesses to funnel lignin-derived streams to co-products for the biorefinery

#### **Management**

 Strain Engineering and Bioprocess Development tasks work closely together, and with other projects upstream and downstream of BLV

#### **Approach**


 Use analysis to guide R&D towards meaningful and impactful bioprocess target molecules


#### **Impact**

 BLV efforts consistently at the forefront of the burgeoning microbial lignin conversion field

#### **Progress and Outcomes**

• Developed *P. putida* strains and bioprocesses able to achieve near industrially-relevant TRY; ongoing work focused on continued debottlenecking and process integration with lignin deconstruction





## **Quad charts**

#### **Timeline**

- Active Project Duration: 10/1/2020 9/30/2023
- Total Project Duration: 10/1/2015 9/30/2023

	FY20	Active Project (FY21-23)
DOE Funding	\$700,000	\$2,100,000

#### **Project Partners**

Nat'l labs: ORNL

BETO Projects: Lignin Utilization (2.3.4.100), Separations Consortium (2.5.5.502), Biochemical Platform Analysis (2.1.0.100), Synthesis and Analysis of Performance-Advantaged Bioproducts projects (2.3.4.501), and Low-Temperature Advanced Deconstruction (2.2.3.100)

#### **Barriers addressed**

- Ct-C Process development for conversion of lignin
- Ct-D Advanced Bioprocess Development

#### **Project Goal**

Develop biological processes to produce coproducts from lignin-derived compounds

#### **End of Project Milestone**

Enable production of >40 g/L and >80% yield and 0.5 g/L/h productivity of an exemplary bioproduct from a process-derived lignin stream in collaboration with the Separations Consortium and Lignin Utilization. Demonstrate 2 products that contribute >\$1/gge to HC fuel MFSP.

#### **Funding Mechanism**

Bioenergy Technologies Office FY21 AOP Lab Call (DE-LC-000L079) – 2020

#### **Acknowledgements:**

DOE Technology Managers Jay Fitzgerald and Beau Hoffman

## . .

Energy Efficiency & Renewable Energy

**BIOENERGY TECHNOLOGIES OFFICE** 

U.S. DEPARTMENT OF

**ENERGY** 

#### **NREL Contributors:**

Caroline Amendola, Brenna Black (LigU), Ryan Davis (Analysis), Rick Elander, Christopher Johnson, Rui Katahira (LigU), Donghyun Kim, Colin Kneucker, Megan Krysiak, Jake Kruger (LigU), Eugene Kuatsjah, Kelsey Ramirez, Michelle Reed, Davinia Salvachua, Christine Singer, Kiki Szostkiewicz, Allison Werner, Sean Woodworth, Bruno Klein (Analysis)

www.nrel.gov

#### **Collaborators:**

Jennifer DuBois (Montana State), Lindsay Eltis (UBC), Adam Feist (DTU, UCSD), Adam Guss, Robert Hettich (ORNL), Ken Houk (UCLA), Phil Laible (Argonne), John McGeehan (Portsmouth), Josh Michener (ORNL), Ellen Neidle (UGA), Sam Purvine (EMSL), Christoph Wittmann (Saarland)



## **Additional Slides**

## Responses to previous reviewer comments

- This program describes an important strategy to build an organism to valorize lignin-derived compounds biologically. The work is in a good position to benefit from progress in the Lignin Utilization program and appears to be doing so, for example by utilizing model substrates and potentially enabling the building of mock substrate mixtures to focus on limiting compounds as it moves toward authentic substrate compositions. The Agile BioFoundry is mentioned briefly in the project description but it is not clear to what extent information is flowing and in what direction. Discussion with the Agile BioFoundry regarding P. putida development is a clear win-win, as the Agile BioFoundry is working on building a P. putida chassis. One could easily see implementation of a Design-Build-Test-Learn strategy (or at least a mini-Design-Build-Test-Learn in the early stages of discovery) for gene dosing (copy number) and stacking of tolerance factors and "on-pathway" substrate utilization/product genes as they emerge, and are likely to add value to move the program quickly. The discovery of a secreted enzyme system is interesting and may provide additional strategies to exploit this for extracellular degradation of potentially cytotoxic compounds such as soluble lignin-derived oligomers. The team is encouraged to further explore the secretome of the organism to determine its potential and limitations, and optimize key enzymes.
  - We appreciate the positive comments and feedback. Indeed, we will on-board some of the tools developed in the Agile BioFoundry (e.g., biosensors and transformation tools), and much of the work originating in this project has informed engineering in the Agile BioFoundry as well, so synergies will exist in both directions. We are certainly investigating the secretome in more detail as bandwidth permits and also leveraging fundamental discoveries made in the DOE Office of Science-funded and academic efforts.
- The team has done an outstanding job making progress across many challenges that arose during the project for such stretching goals. This team worked well together, showing solid management of program and good collaboration across the various other teams inputting information and product streams for evaluation. Again, from experience, biological conversion on such complex materials is highly challenging and the team is commended for taking on this challenge and making great progress. This program has a chance to contribute substantially to BETO goals by funneling many products into single key materials when lignin processing produces so many compounds. I would hope this project could find a way to continue beyond the September end date.
- The PIs continue a scientifically excellent project for the biochemical transformation of lignin into muconate, and ultimately adipic acid. High-yield success in this project through biological funneling will be a nice addition to biorefinery development. Demonstration of this approach on a wider range of lignins and a clear TEA will further improve the project's impact.
  - We completely agree that this approach needs to be demonstrated on a wide range of lignins. We are actively engineering a Pseudomonas putida chassis that is able to convert syringyl (S), guaiacyl (G), and hydroxyphenyl (H)-type lignin monomers, and hence will ideally be useful for lignin samples from multiple upstream catalytic treatments and biomass sources.
- This project has made excellent progress towards identifying new enzymes able to cleave the five most relevant linkages in lignin, and then transferring that capability to P. putida to increase lignin bioconversion into valued biochemicals. In addition to using lignin model compounds, the team developed P. putida strains that can utilize syringyl lignin, transform syringol, and produce muconic acid from base-catalyzed depolymerized lignin. As a next step, strain tolerance to fluctuations in feedstock composition and slight changes in pretreatment conditions will be important to quantify.
  - We agree that upstream changes will modify the organism needs and balance. At present, we are attempting to establish a baseline strain that is able to catabolize H-, G-, and S-type lignin monomers that will be produced from a wide variety of biomass samples.
- This project fits nicely in the lignin valorization portfolio and is well integrated with other relevant programs. The team appears to have made very substantial progress on titer, rate, and yield performance in model systems, which presumably is carrying over to the performance in "real" lignin streams. It appears that currently the levels of rate and titer they can achieve in these real streams is limited by the upstream processes' abilities to produce a high-enough concentration of addressable carbon.
  - The comment regarding the upstream process abilities dictating the titers, rates, and yields is absolutely correct: namely, the upstream lignin depolymerization process dictates the amount of "bioavailable" aromatic carbon for the microbe to convert. We are working in close collaboration with the Lignin Utilization project to enable higher amounts of aromatic carbon that is biologically accessible now.

#### **Publications**

#### In review or revision:

Joshua R. Elmore, Gara N. Dexter, Davinia Salvachúa, Jessica Martinez-Baird, E. Anne Hatmaker, Jay D. Hueneman, Dawn M. Klingeman, George L. Peabody V, Darren J. Peterson, Christine Singer, Gregg T. Beckham, Adam M. Guss\*, Lignin valorization to itaconic acid at high yield by dynamic, two-stage conversion, in review at *Nature Comm*.

Gerald N. Presley<sup>‡</sup>, Allison Z. Werner<sup>‡</sup>, David C. Garcia, Stefan J. Haugen, Caroline B. Hoyt, Rui Katahira, Kelsey J. Ramirez, Richard J. Giannone, Gregg T. Beckham, and Joshua K. Michener, Pathway discovery and engineering for cleavage of a ß-1 lignin-derived biaryl compound, in revision at *Metabolic Eng*.

Sandra Notonier<sup>‡</sup>, Allison Z. Werner<sup>‡</sup>, Eugene Kuatsjah, Linda Dumalo, Paul E. Abraham, E. Anne Hatmaker, Caroline B. Hoyt, Antonella Amore, Kelsey J. Ramirez, Sean P. Woodworth, Dawn M. Klingeman, Richard J. Giannone, Adam M. Guss, Robert L. Hettich, Lindsay D. Eltis, Christopher W. Johnson, and Gregg T. Beckham, Metabolism of syringyl lignin-derived compounds in Pseudomonas putida enables convergent production of 2-pyrone-4,6-dicarboxylic acid, in revision at *Metabolic Eng*.

Eugene Kuatsjah, Anson C. K. Chan, Rui Katahira, Gregg T. Beckham, Michael E. P. Murphy, and Lindsay D. Eltis\*, Elucidating the repertoire of lignostilbene dioxygenases of Sphingomonas sp. SYK-6 and their role in the catabolism of lignin-derived aromatic compounds, in revision at *J. Biol. Chem*.

#### In press:

Emerald S. Ellis‡, Daniel J. Hinchen‡, Alissa Bleem‡, Lintao Bu, Sam J.B. Mallinson, Mark D. Allen, Bennett R. Streit, Melodie M. Machovina, William E. Michener, Christopher W. Johnson, Brandon C. Knott, Gregg T. Beckham\*, John E. McGeehan\*, and Jennifer L. DuBois\*, Engineering a biocatalyst for demethylation of lignin-derived aromatic aldehydes, in revision at *JACS Au*.

Joshua R. Elmore, Gara N. Dexter, Davinia Salvachúa, Jessica Martinez-Baird, E. Anne Hatmaker, Jay D. Hueneman, Dawn M. Klingeman, George L. Peabody V, Darren J. Peterson, Christine Singer, Gregg T. Beckham, Adam M. Guss\*, Lignin valorization to itaconic acid at high yield by dynamic, two-stage conversion, in press at *Nature Comm*.

#### 2020:

Morgan M. Fetherolf, David J. Levy-Booth, Laura E Navas, Jie Liu, Jason C Grigg, Andrew Wilson, Rui Katahira, Gregg T. Beckham, William M. Mohn, Lindsay D. Eltis\*, Characterization of alkylguaiacol-degrading cytochromes P450 for the biocatalytic valorization of lignin, *PNAS* (2020), 117, 25771-25778.

Elsayed T. Mohamed‡, Allison Z. Werner‡, Davinia Salvachúa, Christine Singer, Kiki Szostkiewicz, Manuel Jimenez-Diaz, Thomas Eng, Mohammad S. Radi, Aindrila Mukhopadhyay, Markus J. Herrgård, Steven W. Singer, Gregg T. Beckham\*, Adam M. Feist\*, Adaptive laboratory evolution of Pseudomonas putida KT2440 improves hydroxycinnamic acid catabolism and tolerance, *Metabolic Eng. Comm.* (2020), e00143.

Joshua R. Elmore, Gara N. Dexter, Davinia Salvachúa, Marykate O'Brien, Dawn M. Klingeman, Kent Gorday, Joshua K. Michener, Darren J. Peterson, Gregg T. Beckham, Adam M. Guss\*, Engineering Pseudomonas putida simultaneously catabolizes five major components of lignocellulosic biomass: Glucose, xylose, arabinose, p-coumaric acid, and acetic acid, *Metabolic Eng.* (2020), 62, 62-71.

Davinia Salvachúa<sup>‡</sup>, Allison Z. Werner<sup>‡</sup>, Isabel Pardo<sup>‡</sup>, Martyna Michalska<sup>‡</sup>, Brenna A. Black, Bryon S. Donohoe, Stefan J. Haugen, Rui Katahira, Sandra Notonier, Kelsey J. Ramirez, Antonella Amore, Samuel O. Purvine, Erika M. Zink, Paul E. Abraham, Richard J. Giannone, Suresh Poudel, Philip Laible, Robert L. Hettich<sup>\*</sup>, Gregg T. Beckham<sup>\*</sup>, Outer membrane vesicles catabolize lignin-derived aromatic compounds in Pseudomonas putida KT2440, *PNAS* (2020) 117, 9302-9310.

Davinia Salvachúa, Thomas Rydzak, Raquel Auwae, Annette De Capite, Brenna A. Black, Jason T. Bouvier, Nicholas S. Cleveland, Joshua R. Elmore, Jay D. Huenemann, Rui Katahira, William E. Michener, Darren J. Peterson, Holly Smith, Derek R. Vardon, Gregg T. Beckham\*, Adam M. Guss\*, Metabolic engineering of Pseudomonas putida for increased polyhydroxyalkanoate production from lignin, *Microbial Biotech*. (2020), 13, 290-298.

Raj Morya, Davinia Salvachúa\*, Indu Shekhar Thakur\*. *Burkholderia*: An Untapped but Promising Bacterial Genus for the Conversion of Aromatic Compounds. *Trends Biotechnol*. (2020), 38, 963-975.

#### 2019

Melodie M. Machovina‡, Sam J.B. Mallinson‡, Brandon C. Knott‡, Alexander W. Meyers‡, Marc Garcia-Borràs‡, Lintao Bu, Japheth E. Gado, April Oliver, Graham P. Schmidt, Daniel Hinchen, Michael F. Crowley, Christopher W. Johnson, Ellen L. Neidle, Christina M. Payne, Kendall N. Houk\*, Gregg T. Beckham\*, John E. McGeehan\*, Jennifer L. DuBois\*, Enabling microbial syringol utilization via structure-guided protein engineering, *PNAS* (2019) 116, 13970-13976.

Christopher W. Johnson‡, Davinia Salvachúa‡, Nicholas A. Rorrer‡, Brenna A. Black‡, Derek R. Vardon‡, Peter C. St. John‡, Nicholas S. Cleveland, Graham Dominick, Joshua R. Elmore, Nicholas Grundl, Payal Khanna, Chelsea R. Martinez, William E. Michener, Darren J. Peterson, Kelsey J. Ramirez, Priyanka Singh, Todd A. Vander Wall, A. Nolan Wilson, Xiunan Yi, Mary J. Biddy, Yannick J. Bomble, Adam M. Guss, Gregg T. Beckham\*, Innovative chemicals and materials from bacterial aromatic catabolic pathways, *Joule*. (2019) 3, 1523-1537.

Erica Teixeira Prates, Michael F. Crowley, Munir S. Skaf, Gregg T. Beckham\*, The catalytic mechanism of aryl-ether bond cleavage in lignin by LigF and LigG, *J. Phys. Chem. B.* (2019) 123, 10142-10151.

#### 2018

Davinia Salvachúa\*, Christopher W. Johnson, Christine A. Singer, Holly Rohrer, Darren J. Peterson, Brenna A. Black, Anna Knapp, Gregg T. Beckham\*, Bioprocess development for muconic acid production from aromatic compounds and lignin, *Green Chem.* (2018) 20, 5007-5019.

Sam J. B. Mallinson<sup>‡</sup>, Melodie M. Machovina<sup>‡</sup>, Rodrigo L. Silveira<sup>‡</sup>, Marc Garcia-Borràs<sup>‡</sup>, Nathan Gallup<sup>‡</sup>, Christopher W. Johnson, Mark D. Allen, Munir S. Skaf, Michael F. Crowley, Ellen L. Neidle, Kendall N. Houk<sup>\*</sup>, Gregg T. Beckham<sup>\*</sup>, Jennifer L. DuBois<sup>\*</sup>, John E. McGeehan<sup>\*</sup>, A promiscuous cytochrome P450 aromatic O-demethylase for lignin bioconversion, *Nature Comm*. (2018) 9, 2487.

Melissa Tumen-Velasquez‡, Christopher W. Johnson‡, Alaa Ahmed‡, Graham Dominick, Emily M. Fulk, Payal Khanna, Sarah A. Lee, Alicia L. Schmidt, Jeffrey G. Linger, Mark A. Eiteman, Gregg T. Beckham\*, Ellen L. Neidle\*, Accelerating pathway evolution by increasing the gene dosage of chromosomal segments, *PNAS* (2018).

Wouter Schutyser, Tom Renders, Sander Vanden Bosch, Stef Koelewijn, Gregg T. Beckham, Bert Sels\*, Chemicals from lignin: an interplay of lignocellulose fractionation, depolymerisation, and upgrading, Chem. Soc. Rev. (2018) 47, 10-20.

#### 2014-2017

Alberto Rodriguez‡, Davinia Salvachúa‡, Rui Katahira‡, Brenna A. Black, Nicholas S. Cleveland, Michelle Reed, Holly Smith, Edward E.K. Baidoo, Jay D. Keasling, Blake A. Simmons, Gregg T. Beckham\*, John M. Gladden\*, Low-temperature base-catalyzed depolymerization of solid biorefinery enriched-lignin streams enables effective microbial conversion, *ACS Sust. Chem. Eng.* (2017) 5, 8171-8180.

Christopher W. Johnson, Payal Khanna, Jeffrey G. Linger, Gregg T. Beckham\*, Eliminating a global regulator of carbon catabolite repression enhances the conversion of aromatic lignin monomers to muconate in Pseudomonas putida KT2440, *Metabolic Eng. Comm.* (2017) 5, 19-25.

Davinia Salvachúa‡, Rui Katahira‡, Nicholas S. Cleveland, P. Khanna, Michael G. Resch, Brenna A. Black, S.O. Purvine, E.M. Zink, A. Prieto, M.J. Martinez, A.T. Martinez, B.A. Simmons, J.M. Gladden, Gregg T. Beckham\*, Lignin depolymerization by fungal secretomes, *Green Chem.* (2017) 18, pp. 6046-6062.

Christopher W. Johnson, Davinia Salvachúa, P. Khanna, H. Smith, D.J. Peterson, Gregg T. Beckham\*, Enhancing muconic acid production from glucose or lignin via increased protocatechuate decarboxylase activity, *Metabolic Eng*. Comm. (2016) 3, pp. 111-119.

Gregg T. Beckham\*, Christopher W. Johnson, Eric M. Karp, Davinia Salvachúa, Derek R. Vardon, Opportunities and challenges in biological lignin valorization, *Curr. Opin. Biotech.* (2016), 42, pp. 40-53.

Davinia Salvachúa, Eric M. Karp, Derek R. Vardon, Gregg T. Beckham\*, Towards lignin consolidated bioprocessing: Simultaneous lignin depolymerization and co-product generation by bacteria, *Green Chem.* (2015), 17(11), pp. 4951-4967.

Christopher W. Johnson, Gregg T. Beckham\*, Aromatic catabolic pathway selection for optimal production of pyruvate and lactate from lignin, *Metabolic Eng.* (2015), 28, pp. 240-247.

Derek R. Vardon‡, M.A. Franden‡, Christopher W. Johnson‡, Eric M. Karp‡, M.T. Guarnieri, Jeffrey G. Linger, M.A. Salm, T.J. Strathmann, Gregg T. Beckham\*, Adipic acid production from lignin, *Energy Env. Science*. (2015), 8, pp. 617-628

Jeffrey G. Linger‡, Derek R. Vardon‡, M.T. Guarnieri‡, Eric M. Karp‡, G.B. Hunsinger, M.A. Franden, Christopher W. Johnson, T.J. Strathmann, P.T. Pienkos, Gregg T. Beckham\*, Lignin valorization through integrated biological funneling and chemical catalysis, *PNAS*. (2014), 111(33), pp. 12013-12018.

A. Ragauskas, Gregg T. Beckham, Mary J. Biddy, R. Chandra, F. Chen, M.F. Davis, B.H. Davison, R.A. Dixon, P. Gilna, M. Keller, P. Langan, A.K. Naskar, J.N. Saddler, T.J. Tschaplinski, G.A. Tuskan, C.E. Wyman, Lignin Valorization: Improving Lignin Processing in the Biorefinery, *Science* (2014), 344, 1246843.

#### Presentations (2018-2020)

Biological processes for lignin and plastics conversion, University fo California Riverside (via webinar), January 7<sup>th</sup>, 2020

Performance-advantaged bioproducts from lignin, BioEnergy Society of Singapore (via webinar), December 14th, 2020

Efforts towards sustainable performance-advantaged bioproducts and plastics upcycling, Materials Life-Cycle Management Mini-Symposium, University of Delaware (via webinar), October 1st, 2020

Bacterial aromatic catabolism for lignin and plastics conversion, BioDiscovery Institute, University of North Texas (via webinar), August 20th, 2020

Performance-advantaged bioproducts from lignin and carbohydrates, 8th Fuel Science Center International Conference (via webinar), June 24th, 2020

Bacterial aromatic catabolism for lignin and plastics conversion, University of Minnesota BioTechnology Institute, March 5th, 2020

Enzymes for lignin and plastics conversion, Enzymes, Coenzymes and Metabolic Pathways, July 23rd, 2019

Engineering non-model cell factories to produce novel polymer precursors, Biomass to Biobased Chemicals and Materials, July 17th, 2019

Challenges and opportunities in plastics upcycling, Plenary Invited Lecture, 26th BioEnvironmental Polymers Meeting, June 5th, 2019

New progresses on biological and catalytic lignin valorization, Great Lakes Bioenergy Research Center and University of Wisconsin Madison, May 13th, 2019

Catalytic valorization of lignin in the biorefinery, 4th Ibero-American Congress on Biorefineries, Plenary Invited Lecture, October 24, 2018

#### **Patent applications**

Engineered Pseudomonas putida strain for production of 2-pyrone-4,6-dicarboxylic acid guaiacyl and p-hydroxyphenyl and syringyl lignin-derived aromatic species: ROI-20-131, pending